

# Reorganization of Social Distancing into 5 Level (Nov. 7. ~ )

–Subdivision of the existing 3 levels,  
strengthening regional response–

## <Conversion criteria by distance level>

Division		1Level	1.5Level	2Level	2.5Level	3Level	
		Daily life Prevention		Local epidemic level		National epidemic level	
		Daily life Distancing	Local epidemic begins	Rapid spread of local epidemic, beginning of national epidemic		Full-fledged national epidemic	Nationwide pandemic
Primary indicator	Average number of confirmed cases per day(person)	(Metropolitan area) Less than 100person	(Metropolitan area) More than 100person	※ Upgraded if one of the three situations is met		400-500person or more nationwide or rapid increase in patients such as doubling	800-1,000 person or more nationwide or rapid increase in patients such as doubling
		(Other areas) Less than 30person (Less than 10 person in Gangwon and Jeju)	(Other areas) More than 30person (More than 10 person in Gangwon and Jeju)	① More than doubled based on 1.5 level ② Continued outbreaks in two or more regions ③ Over 300 person nationwide			
Secondary indicator	① The average number of confirmed cases over 60 days per week , ② Bed capacity for severe patients , ③ Epidemiological investigation capability, ④ Re-infection factor, ⑤ Outbreak of mass infection, ⑥ Rate of cases under investigation of infection route, ⑦ Management ratio in the quarantine network						

<Translated at Danuri Helpline 1577-1366.>